

HOGGI
MADE IN GERMANY

BINGO EVOLUTION

REHAB PUSHCHAIR

Sizes 1 · 2 · 2XL

Up to 110 lbs.

BINGO
WAS
GOOD
WE JUST
MADE IT
BETTER



Reverse Seating



Suspension System



Ultra Compact





Headrest Pads



Trunk Supports



Chest-shoulder Harness



5-point Harness



Lap Belt



4-Point Lap Belt



Grab Rail With Upholstery



Thigh Supports
(In Place Of Hip Guides)



Abduction Block



Groin Strap



Ankle Cuffs



Foot Straps



Therapy Tray



Winter Warmer and
Sheep Skin Insert



Canopy includes Adapter
and Rain Cover



Cobra Base



Oxygen Bottle Holder



IV Pole



Transit Bracket

FEATURES

BINGO
EVOLUTION



* Colors Above
Are Not Exact



SEATING FEATURES



Upright



Reclining Backrest



45° Tilt



'Growing Seat'



New Side Cover

NEW

TECHNICAL DATA

	Size 1	Size 2	Size 2XL
MOBILITY BASES			
Push Handle Height	30 - 44 in.	30 - 44 in.	27 - 46.5 in.
Overall Width	25 in.	26.5 in.	26.5 in.
Overall Length	36 in.	36 in.	36 in.
Wheel Diameter, Front	7.5 in.	7.5 in.	7.5 in.
Wheel Diameter, Rear	11.4 in.	11.4 in.	11.4 in.
Tilt in Space	45°	45°	45°
Folding Size with Wheels	31.5 x 25 x 15 in.	31.5 x 27 x 15 in.	31.5 x 27 x 15 in.
Folding Size with Wheels Removed	31.5 x 25 x 12 in.	31.5 x 26.5 x 12 in.	31.5 x 26.5 x 12 in.
Weight	19 lbs.	19 lbs.	19 lbs.
Total Load Capacity of Mobility Base (Seat + Rider)	132 lbs.	132 lbs.	132 lbs.
Turning Radius	53 in.	55 in.	55 in.
IUS SEATING SYSTEM			
Seat Depth	6.3 to 13.4 in.	8.6 to 15.75 in.	10.6 to 17.7 in.
Seat Width	7 to 11.8 in.	9 to 13.8 in.	9 to 13.8 in.
Lower Leg Length	7.5 to 14.6 in.	7.5 to 15.75 in.	7.5 to 15.75 in.
Backrest Height	17.7 to 25 in.	21 to 29.5 in.	24.4 to 32.7 in.
Height of Slots for Shoulder Straps	11 to 18 in.	13 to 21.5 in.	16.5 to 24.8 in.
Recline	90° to 160°	90° to 160°	90° to 130°
** Back completely horizontal (180°) with combo tilt & recline			
Weight	14.1 lbs.	16.3 lbs.	18.3 lbs.
Load Capacity of Seat Unit (Rider Weight Limit)	110 lbs.	110 lbs.	110 lbs.
Transit Brackets Crash tested according to ISO 7176-19 ANSI / RESNA WC / VOL. 1. - Section 19			