PRIME ENGINEERING






Order Form / Price List Modular Hydraulic Standing System



Client:	Age	PO: Da	ıte:	
Height:	Weight: Dx:	Dealer:		
	Phone:			
	Granstand III Client Height: 5' 6" - 6'	5" Kidstand III Client Height: 3' 6" - 4' 8"		
	□ \$3,295.00 Weight Limit 250 lbs	s \$2,895.00 Weight Limit 250 lbs		
	Granstand III Client Height: 4' 6" - 6'	5" Kidstand III Client Height: 3' - 4' 8"		
	Requires Mobile Foot System	Requires Mobile Foot System		
	- ·	tems include our NO TRANSFER DESIGN. allowing the client to		
	•	nd III base design lifts from the wheelchair, bed, mat table or other afely and properly onto any of these surfaces.		
_				
clear	table top; Width and depth adjustable foot pads; :	casters; Height and depth adjustable chest pad; Height and de Pull-to-Place seat sling and Depth and height adjustable knee Black Candy Red Candy Blue Candy Purple Neon Orange Neon Pink White Razzberry	pad.	ajustable
□ Granstand	III Mobile Kit \$995.00	☐ Kidstand III Mobile Kit	5	
Requires Mobil	·	Requires Mobile Foot System	4	
The mobile kit all		oile while standing. The Granstand III / Kidstand III MSS	权	
		ansfer device, as well as, a complete standing system.	690	9
Eacl	n mobile system includes handrim locks, handrims, st	teel caster upgrade and front drive wheels.		
Seat Sling Opti	ons:			
	ling Cover: Genuine sheepskin cover with Velcro att	tachments for standard web sling	\$	129.00
☐ Pocket Seat	Sling Cover: Pocket slipcover design to allow for ad	ditional padding of the standard web sling	\$	175.00
☐ Vinyl Seat S	ing: One piece vinyl pull-to-place seat sling allows g	reater surface contact and ease of cleaning	\$	179.00
☐ Contoured V	inyl Sheepskin Lined Seat Sling: One piece vinyl p	oull-to-place seat sling with full sheepskin lining and mild contour	\$	225.00
Sling Sizes: K	dstand Sling	Slings	Hx29"\	N
If no sling size i	s marked the standard sling for the product will be included.			
Lower Extremit	ry Positioning Options:			
☐ Standard Fo	ot Pads: Width and depth adjustable. (Products are i	not mobile in use with this item)	N	o Charge
☐ Height Adjus	stable Mobile Foot System: Adjusts in width, depth,	height, toe in and toe out. Matches the foot positioners to the heig	ht \$	419.00
of the wheeld	hair footplates. Supplies maximum growth potential,	and allows the Granstand III to be mobile while in use		
-		neight, toe in, toe out and individual planter-flexion or dorsi-flexion	\$	559.00
		ment, plus allows the Granstand III to be mobile while in use	•	200.00
_	able Knee System: Tool-free mechanism easily adju width positioning allows for proper placement of the k	usts in height, width and depth for optimum lower body positioning. In the pad and fast adjustment for multiple client use	\$	399.00
•		tioning needs such as contractures(attaches to either system)	\$	395.00
	Velcro straps for assistance in foot positioning	2	\$	49.00
	voide dirapo for addictarios in foot positioning		Ψ	



PRIME ENGINEERING A Division of Axion Industries Inc. All specifications subject to change without notice 4202 W. SIERRA MADRE AVE., FRESNO, CA 93722 1-800-827-8263 Fax 800-800-33 E-mail: info@primeengineering.com Web site: www.primeengineering.cc 9012018URC

Q

Address

4202 West Sierra Madre Ave. Fresno, CA 93722

3

Phone

Toll Free: (800) 82STAND / (800) 827-8263 Local: (559) 276-0991



Fax

Toll Free: (800) 800-3355 Local: (559) 276-3544



Email

info@primeengineering.com

Search

f

© Copyright 2018 Prime Engineering. All Rights Reserved.